

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S13	1	(((((maximum adj2 throughput) with (reduc \$3 adj2 distribut\$3 adj2 tree)) same ((target near2 bandwidth) same ((root or source) adj2 node) same (remov\$3 adj2 link)) same (overlay adj1 spanning adj1 tree))) and ("370"/\$.ccls. or "709"/.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:16
S14	1	((maximum adj2 throughput) same ((target near2 bandwidth) same ((root or source) adj2 node) same (remov \$3 adj2 link)) and (overlay adj1 spanning adj1 tree)) and ("370"/\$.ccls. or "709"/.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:19
S15	1	((maximum adj2 throughput) same bandwidth same ((root or source) adj2 node) same (remov\$3 adj2 link) and (overlay adj1 spanning adj1 tree)) and ("370"/\$.ccls. or "709"/.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:25
S22	1	((maximum adj2 throughput) same bandwidth same ((root or source) adj2 node) same (remov\$3 adj2 link) and (overlay adj1 spanning adj1 tree))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:25
S23	1	((maximum adj2 throughput) and bandwidth same ((root or source) adj2 node) same (remov\$3 adj2 link) and (overlay adj1 spanning adj1 tree))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:25

S26	5	(overlay adj1 spanning adj1 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:52
S27	2	S26 and bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:59
S31	17	((overlay adj1 rout\$3) or (spanning adj1 tree)) same ((greater or less) near2 bandwidth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:07
S32	13	S31 and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:07
S34	2	S32 and graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:52
S35	0	decreas\$5 near3 target bandwidth @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:50
S36	0	decreas\$5 near3 bandwidth @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:51
S37	0	increas\$5 near3 bandwidth @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:52

S38	1	decreas\$5 near3 target bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:53
S39	405	spanning tree with root and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:55
S40	0	spanning tree with root and remov\$5 near6 link with higher rate and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 19:06
S41	51	spanning tree with root and remov\$5 near6 link and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 19:06
S42	1	spanning tree with root and remov\$5 near6 link and decreas\$5 with bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 19:08
S43	2	overlay spanning tree and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:31
S44	0	overlay spanning tree and decreas\$5 with bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:33
S45	6233	increas\$5 with bandwidth and decreas\$5 with bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:34

S46	0	increas\$5 with bandwidth and decreas\$5 with bandwidth and (construct \$5 or build\$5) nea12 spanning tree with root and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:38
S47	6	increas\$5 with bandwidth and decreas\$5 with bandwidth and spanning tree with root and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:38
S48	0	increas\$5 with bandwidth and decreas\$5 with bandwidth and spanning tree with root and target bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:39
S49	6	increas\$5 with bandwidth and decreas\$5 with bandwidth and spanning tree with root and bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:39
S50	2	"20030088696".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 10:50
S51	0	bandwidth same threshold same sapnning tree and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:23
S52	0	bandwidth and threshold same sapnning tree and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:23
S53	20	bandwidth same threshold same spanning tree and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:23

S54	0	bandwidth and threshold and spanning tree and node with highest near9 bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:32
S55	78	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:33
S56	0	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with high\$5 bendwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:34
S57	0	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with (high\$5 or maxium or greater) bendwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:35
S58	0	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with (high\$5 or maxium or greater) near9 bendwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:35
S59	0	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with (high\$5 or maxium or greater) near9 bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:35
S60	1	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with (high\$5 or maxium or greater) with bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:36
S61	78	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:37

S62	27	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:39
S63	0	target bandwidth and threshold and spanning tree and (join\$5 or attach\$5) node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 17:14
S64	0	target bandwidth and spanning tree and (join\$5 or attach\$5) node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 17:15
S65	1934	rout\$3 same overlay and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:03
S66	38	rout\$3 same overlay and (spanning near2 tree) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:05
S67	31	rout\$3 same overlay and (spanning near2 tree) and bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:06
S68	23	rout\$3 same overlay and (spanning near2 tree) and bandwidth and (remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:13
S69	29	rout\$3 same overlay and (spanning near2 tree) and bandwidth and (remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:18

S70	6	rout\$3 same overlay and (spanning near2 tree) and bandwidth same (remov \$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:18
S71	33	rout\$3 same overlay and (spanning near2 tree) and ("370"/\$.ccls. or "709"/\$. ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:20
S72	3	rout\$3 same overlay and (spanning near2 tree) same bandwidth and ("370"/\$.ccls. or "709"/\$. ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:21
S73	84	rout\$3 same overlay same bandwidth and ("370"/\$.ccls. or "709"/\$. ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:21
S74	16	rout\$3 same overlay same bandwidth same (remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) and ("370"/\$. ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:23
S75	0	overlay same (bandwidth with ((remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) near5 edge)) and ("370"/ \$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:29
S76	0	overlay same (bandwidth with ((remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) near5 (router or node))) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:30

S77	0	overlay same (bandwidth with ((remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) near5 (router or node or device))) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:30
S78	363	(bandwidth with ((remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) near5 (router or node or device))) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:31
S79	24	(bandwidth with ((remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) near5 (router or node or device))) and overlay and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:31
S80	1	((config\$5 or construct\$5 or build\$5) and ((reduc\$5 or decreas\$5 cut\$5 or shrink\$5 or lessen\$5 or trim\$5) near3 overlay)) and (spanning near2 tree) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/15 11:18
S81	1	((reduc\$5 or decreas\$5 cut\$5 or shrink\$5 or lessen\$5 or trim\$5) near3 overlay) and (spanning near2 tree) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/15 11:20
S82	30	((remov\$5 or eliminat\$5) near3 edge) and (spanning near2 tree) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/15 11:20
S83	28	((remov\$5 or eliminat\$5) near3 edge) and (spanning near2 tree) and (bandwidth or bw) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/15 11:37

S84	0	((remov\$5 or eliminat\$5) near3 edge) and (spanning near2 tree) and (bandwidth or bw) and ((reduc\$5 or decreas\$5 cut\$5 or shrink\$5 or lessen\$5 or trim\$5) near3 overlay) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/15 11:39
S85	28	((remov\$5 or eliminat\$5) near3 edge) and (spanning near2 tree) and (bandwidth or bw) and (reduc\$5 or decreas\$5 cut\$5 or shrink\$5 or lessen\$5 or trim\$5) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/15 11:40

9/ 23/ 2009 3:19:15 PM

C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10721399.wsp